

Government of Bihar
OFFICE OF THE STATE TRANSPORT AUTHORITY,
BIHAR, PATNA.
Vishveshwaraia Bhavan, Bailey Road, Patna.

No.-04/STA-P3-100/2017-----/

Patna, Dated:...../...../.....

From,

Secretary,
State Transport Authority,
Vishveshwaraia Bhavan, Bailey Road, Patna, Bihar.

To

The Secretary,
State Transport Authority, West Bengal,
45, Ganesh Chandra Avenue, Kolkata-700013.

Sub: Replacement of vehicle No.- BR-06PD-1001 & BR-06PC-8008 by the vehicle no.- BR-06PD-8002 & BR-06PD-9001 on the Permanent permit P.St.S.No.-50/2017 (WB) on the route Chapra to Siliguri.

Sir,

I have to inform you that vehicle no.- **BR-06PD-1001** of 2016 model & **BR-06PC-8008**, of 2015 model which is covered by Permit No.- **P.St.S.-50/2017 (WB)** has been replaced by vehicle no.-**BR-06PD-8002** of 2017 model & **BR-06PD-9001** of 2017 model (Bus). The endorsement of this replacement has been made on the Permit No.- **P.St.S.- 50/2017 (WB)** for the route **Chapra to Siliguri**.

A copy of the said permit have been given to permit holder Shri Madhukar Kumar for correction in the countersignature slip.

It is, therefore, requested that necessary correction may kindly be made in your record as well as in the countersignature slip. The permit holder is advised to approach you for the needful.

Yours faithfully,
Sd/-
Secretary,
State Transport Authority,
Bihar, Patna.

Memo No.:-

Patna, Dated:-


Copy forwarded to:- Shri Madhukar Kumar, S/o-Baidhnath Pd. Sinha, At.-Madhaul, Po-Mahopur Susta madhaul, Muzaffarpur for information.

Sd/-
Secretary,
State Transport Authority,
Bihar, Patna.

Memo No.:-

Patna, Dated:-

Copy forwarded to:- Joint Commissioner (Professional Tax) Commercial Tax Dept., Vikash Bhawan, Patna Secretariat, Patna/ Joint Comm.-Cum-Secretary, R.T.A., Chapra & Darbhanga/ D.T.O., Chapra & Darbhanga/ IT Manager, Transport Dept, Bihar, Patna for information & take necessary action.



22/07/18
Secretary,
State Transport Authority,
Bihar, Patna.
SECRETARY
State Transport Authority
Bihar, Patna